

# Boomer and Tail Chains



**SEE APPLICATION AND WARNING INFORMATION**

Para Español: [www.thecrosbygroup.com](http://www.thecrosbygroup.com)

On Pages 267-268

## L-180 Winchline Tail Chain

- Hooks are Forged – Quenched and Tempered.
- Individually Proof Tested.
- Spectrum 4<sup>®</sup> High Test Carbon Steel from 5/16" through 5/8" (8 - 16mm).
- Spectrum 8<sup>®</sup> Alloy Steel from 3/4" through 1-1/4" (20 - 32mm).
- Meets or exceeds requirements of US DOT FMCSA Part 393 Subpart I.

Wire Rope Diameter (in.)*	L-180 Stock No.	Working Load Limit (lbs.)†	Length (in.)	No. of Links	Weight Each (lbs.)
5/16 - 3/8	1091473	5400	18	11	3.0
1/2 - 5/8	1091482	13000	18	7	6.2
3/4 - 7/8	1091511	34200	24	8	18.2
1 - 1-1/8	1091516	47700	18	5	21.2
1 - 1-1/8	1091525	47700	24	7	23.3
1-1/4	1091532	72300	24	5	40.0

\* Recommended for IPS or XIP (EIP), RRL, FC or IWRC wire rope.

† Ultimate Load is 3.5 times the Working Load Limit.

L-180



## C-186 Spectrum 4<sup>®</sup> High Test Boomer Chains

- Ends fitted with Crosby H-330 Quenched and Tempered carbon steel clevis grab hook.
- Finish – Self Colored.
- Meets or exceeds requirements of US DOT FMCSA Part 393 Subpart I.

Chain Size (in.)	C-186 Stock No.	Working Load Limit (lbs.)	Standard Length (in.)	Weight Each (lbs.)
1/4	278988	2600	20	16
5/16	278997	3900	20	25
3/8	279004	5400	20	34
7/16	279013	7200	20	45
1/2	279022	9200	20	60
5/8	279031	13000	20	90

C-186



## C-187 Spectrum 7<sup>®</sup> Transport Boomer Chains

- Ends fitted with Crosby A-330 Quenched and Tempered alloy clevis grab hook.
- Finish – Self Colored.
- Meets or exceeds requirements of US DOT FMCSA Part 393 Subpart I.

Chain Size (in.)	C-187 Stock No.	Working Load Limit (lbs.)	Standard Length (in.)	Weight Each (lbs.)
1/4	279576	3150	20	16
5/16	279585	4700	20	25
3/8	279594	6600	20	34
7/16	279601	8750	20	45
1/2	279610	11300	20	60

C-187



## C-188 Spectrum 8<sup>®</sup> Alloy Boomer Chains

- Heat treated alloy steel.
- Ends fitted with Crosby A-330 Quenched and Tempered alloy clevis grab hook.
- Finish – Self Colored.
- Meets or exceeds requirements of US DOT FMCSA Part 393 Subpart I.

Chain Size (in.)	C-188 Stock No.	Working Load Limit (lbs.)	Standard Length (in.)	Weight Each (lbs.)
3/8	279889	7100	20	30.28
1/2	279898	12000	20	54.04

C-188

